

## Technical Information


The Predator ED series are an Absorbent Glass Mat (AGM) battery designed for Deep Cycle applications including recreational and leisure as well as industrial.

The valve regulated, non-spillable design delivers outstanding cycle life and a low self discharge rate. The Predator ED series are manufactured in a facility which is ISO 9001, 14001 & 45001 certified.


For standby and general purpose applications, the Predator ES series are recommended.

## Features & Benefits


- Heavy Duty, Non-Spillable Design
- Low Self Discharge
- Designed for superior cycle life



## Discharge Characteristics



## Cycle Life vs Depth of Discharge



## Technical Specifications

Battery Type	Deep Cycle AGM	Case Material Colour	ABS Red Case, White Lid
Voltage	12V	Charge Current	Recommended: 26.0A Maximum: 65.0A
Capacity (20 / 10 / 5Hr)	260 / 250 / 208.5Ah	Charge Voltage	14.1 – 14.4V @25°C (Temp. Coeff. -5mV/°C)
Internal Resistance (25°C)	Approx. 2.7mΩ	Float Voltage	13.5 – 13.8V @25°C (Temp. Coeff. -3mV/°C)
Overall Size (LxWxH ±2mm)	522 x 268 x 266mm	Operating Temp. Charge	0 to 40°C
Nominal Weight	76.5kg	Operating Temp. Discharge	-20 to 55°C